

Prepared for:
ALTERNATIVE BIOLOGICS

4775 Industrial Way
Benicia, CA USA 94510

GW Watermelon

Batch ID or Lot Number: C90A256223	Test: Potency	Reported: 12Sep2022	USDA License: N/A
Matrix: Unit	Test ID: T000221084	Started: 09Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 12Sep2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.160	0.494	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.146	0.452	ND	ND	
Cannabidiol (CBD)	0.452	1.315	22.470	0.10	
Cannabidiolic Acid (CBDA)	0.463	1.349	ND	ND	
Cannabidivarin (CBDV)	0.107	0.311	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.193	0.563	ND	ND	
Cannabigerol (CBG)	0.091	0.281	ND	ND	
Cannabigerolic Acid (CBGA)	0.379	1.173	ND	ND	
Cannabinol (CBN)	0.118	0.366	ND	ND	
Cannabinolic Acid (CBNA)	0.258	0.800	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.451	1.397	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.410	1.269	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.363	1.124	ND	ND	
Tetrahydrocannabivarin (THCV)	0.082	0.255	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.320	0.992	ND	ND	
Total Cannabinoids			22.470	0.06	
Total Potential THC			ND	ND	
Total Potential CBD			22.470	0.06	

Final Approval



Jacob Miller
12Sep2022
02:43:00 PM MDT

PREPARED BY / DATE



Sam Smith
12Sep2022
02:49:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/804e3d59-9595-496c-951d-98e464db4d02>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

804e3d599595496c951d98e464db4d02.1