

Prepared for:
ALTERNATIVE BIOLOGICS

4775 Industrial Way
Benicia, CA USA 94510

GW Blue Razz

Batch ID or Lot Number: C90B234223 - ME	Test: Potency	Reported: 19Aug2022	USDA License: N/A
Matrix: Unit	Test ID: T000218732	Started: 19Aug2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 19Aug2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.153	0.454	ND	ND	# of Servings = 1, Sample Weight=355g
Cannabichromenic Acid (CBCA)	0.140	0.415	ND	ND	
Cannabidiol (CBD)	0.324	1.155	22.450	0.10	
Cannabidiolic Acid (CBDA)	0.333	1.185	ND	ND	
Cannabidivarin (CBDV)	0.077	0.273	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.139	0.494	ND	ND	
Cannabigerol (CBG)	0.087	0.258	ND	ND	
Cannabigerolic Acid (CBGA)	0.363	1.077	ND	ND	
Cannabinol (CBN)	0.113	0.336	ND	ND	
Cannabinolic Acid (CBNA)	0.247	0.735	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.432	1.283	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.392	1.165	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.348	1.032	ND	ND	
Tetrahydrocannabivarin (THCV)	0.079	0.234	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.307	0.911	ND	ND	
Total Cannabinoids			22.450	0.06	
Total Potential THC			ND	ND	
Total Potential CBD			22.450	0.06	

Final Approval



Daniel Weidensaul
19Aug2022
03:31:00 PM MDT



Jacob Miller
19Aug2022
03:33:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/f48e3cd9-bd37-49f1-8bed-f2ee6c3baf16>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f48e3cd9bd3749f18bedf2ee6c3baf16.1